

Example Responses – Paper 1

Cambridge IGCSE[™] / IGCSE (9–1) Computer Science 0478 / 0984

Cambridge O Level Computer Science 2210

For examination from 2023







Contents

Introduction	4
Question 1	5
Question 2	
Question 3	8
Question 4	
Question 5	12
Question 6	14
Question 7	16
Question 8	18
Question 9	19
Question 10	20

Introduction

The main aim of this booklet is to exemplify standards for those teaching Cambridge IGCSE / IGCSE (9-1) / O Level Information and Communication Technology 0478 / 0984 / 2210.

This booklet contains responses to all questions from June 2023 Paper 12, which have been written by a Cambridge examiner. Responses are accompanied by a brief commentary highlighting common errors and misconceptions where they are relevant.


The question papers and mark schemes are available to download from the School Support Hub

0478 / 0984 / 2210 June 2023 Question Paper 12 0478 / 0984 / 2210 June 2023 Mark Scheme 12

Past exam resources and other teaching and learning resources are available from the School Support Hub

1 Output devices are used to output data from a computer.

Circle **three** devices that are output devices.



Examiner comment

- Some candidates thought that a microphone was an output device.
- Candidates often did not recognise an actuator as an output device.

	uestion	
-	MUSLIUII	

2	Bina	nary numbers can be converted to hexadecimal.								
	(a)	Convert the two binary numbers to hexadecimal.								
		10010011	93							
		00001101	OD							[4]
Exa	min	er comn	nent							
		lidates did no didates shou			-	mber to hex	adecimal. I	f part of the	binary numb	er converted
	(b)	A value is	stored as	a binary nu	umber in a	register.				
		0	1	1	1	1	0	1	0	
		•	_	·	ces is perfo		•			
		(i) Comp	olete the bi	nary regist	ter to show	its conten	ts after this	logical rig	ht shift.	
		0	0	0	0	1	1	1	1	
								'		[1]
Exa	min	er comn	nent							
the rig	ht the		umber of pla	aces. In this	question, th	nis resulted			f shifting eac of 11010000	
		(ii) State	one effect	t this logica	al shift has	on the bina	ary numbe	r.		
		the	value is	divided	by 8, but	this ma	ikes the	value ina	ccurate	
										[1]
Exa	min	er comn	nent							

Candidates often just provided a vague statement that the value increased, decreased or changed. More detail needed to be provided than this to demonstrated the amount that the value was divided or multiplied by.

(c)	Give two reasons why a programmer may use hexadecimal to represent binary numbers. 1 hexadecimal numbers take up less space on a screen than binary						
	numbers						
	2 it is easier for the programmer to find mistakes in the program						
	[2]						
Exami	ner comment						
	candidates did not provide an accurate answer when referring to screen space in this question. Sometimes, rote a statement that was too vague, stating that it takes up less space, but not stating where less space ken.						
	lates also had a misconception regarding space. They often stated that hexadecimal takes up less storage but this was not correct as hexadecimal is stored as binary.						
(d)	Denary numbers can also be converted to hexadecimal.						
	Convert the denary number to hexadecimal.						
	301 <u>12D</u> [2]						

Examiner comment

Candidates often struggled to convert denary to hexadecimal. Candidates could convert the denary to binary first, then convert the binary to hexadecimal.

3

cor	nputer.
(a)	Describe how the text is converted to binary to be processed by the computer.
	When text is converted to binary, an ASCII character set can be
	used. Each character has a unique binary value that the character is
	converted to.
	[3]
xamir	ner comment
	is converted to binary, an ASCII character set can be used. Each character has a unique binary value that ster is converted to.
(b)	Text that is input into a computer can be stored in a text file.
	A text file can be compressed using lossless compression.

When keys are pressed on a keyboard, the text is converted to binary to be processed by the

Examiner comment

(i) State what effect this has on the file size.

Candidates sometimes inaccurately stated that the size of the data was reduced, but it was the size of the file that was reduced.

the effect that this has on the file size is that it reduces it

.....[1]

(ii)	Describe how lossless compression compresses the text file.
	A compression algorithm is used to find repeated words in the text.
	Each different word is indexed into a table. This records the word
	and the positions where it occurs in the text.
	[4]
Candidates a pixels, rather were vague	lates found it challenging to be detailed and accurate in their response. also struggled to apply the question to the context given. Some candidates referred to repeating than repeating characters. Pixels would be relevant to an image file, but not a text file. Candidates when referring to the elements they listed as repeating, using terms such as 'repeating values' and ata'. These terms were not specific enough for the context given.
(iii)	Give two reasons why the text file may have been compressed.
	1 it will take up less storage space
	2 it will be faster to transmit from one device to another
	[2]
xaminer (comment

- Candidates sometimes stated that a compressed text file took up less space, but they did not give enough detail about where the space would be saved.
- Some candidates gave repeated reasons that drew on the same knowledge. They stated that it was faster to upload the file, then stated that it would be faster to download the file. Both these statements related to it being quicker to transmit the file.

4 A student uses a mobile phone to take photographs for a school project.

The student needs to transmit the photographs to their computer. They could use serial data transmission or parallel data transmission to transmit the photographs.

(a)	(i)	Describe how the photographs would be transmitted using serial data transmission.
		the photographs would be transmitted one bit at a time down a single
		wire
		[2]

Examiner comment

- Some candidates inaccurately stated that the data was sent one at a time, but they did not provide specific detail
 about the data or refer to transmission bit by bit.
- Some candidates inaccurately referred to a single wire as a cable. A cable can contain multiple wires, so answers needed to refer to a wire and not a cable.

(ii)	Give two benefits of transmitting the photographs using serial data transmission.
	1 there will be less chance of error in the data as there is less
	interference
	2 the data is sent bit by bit so it will not be skewed
	[2]

Examiner comment

- Candidates often referred to serial being more suitable to send the data over a long distance. In this instance this
 was not relevant to the context given. Candidates needed to note the context given in the question and tailor their
 answer to the context. The context did not state that long distance was involved.
- Candidates sometimes referred to the cost being cheaper for serial transmission, however the difference in cost between the two types of transmission is negligible. Candidates needed to focus on the other benefits.

	(111)	transmission.
		using parallel transmission would mean the data can be transmitted
		faster [1]
Exami	ner c	comment
between	the two	etimes stated that the data could be transmitted fast. Their answer needed to be a comparison types of data transmission. When they referred to 'fast' transmission, this was not a comparison, so eded to state that it was a 'faster' transmission.
(b	•	photographs are also transmitted across a network to cloud storage. A device on the vork forwards the data towards its correct destination.
	(i)	State the name of this device.
		router [1]
	(ii)	Describe what is meant by cloud storage.
		Cloud storage is storage and is a group of servers that are stored in
		a remote location. The servers store data that is accessed using an
		internet connection.
		[2]
Exami	iner d	comment
		es believed that there is no physical hardware storing data in the cloud. They thought it is stored by, but did not understand that it is stored on physical servers.
	(iii)	Give one disadvantage of storing the photographs in cloud storage instead of storing them locally.
		if the user loses their internet connection, they will lose access to
		the data that is stored in the cloud [1]

Examiner comment

Some candidates referred to data stored in the cloud being easy to hack. This statement was vague and inaccurate. Data stored locally can be easy to hack, whereas data stored in the cloud is likely to have a lot more security placed on it, so it is not easy to hack. Candidates could refer to the possibility that there may be security risks.

A programmer writes a computer program using a nign-level language.								
(a) Tick (✓) one box to show which statement is correct about writing computer program high-level language.								
A Mnemonics are used to create instructions.								
B The computer program is harder to debug than a low-level language program.								
	С	The computer program is machine independent.	✓					
	D	The hardware of the computer can be directly manipulated.						
and	idate	s had a misconception that high-level language is more complex to program than low-le	[1] vel language.					
(b)	The	programmer uses a compiler to translate the computer program.						
	(i)	Describe how the compiler translates the computer program. The compiler translates all the program code to machine code once before it is then executed. It also creates an executable fil						
	nin and re, s	high A B C D aniner (andidate re, some	high-level language. A Mnemonics are used to create instructions. B The computer program is harder to debug than a low-level language program. C The computer program is machine independent. D The hardware of the computer can be directly manipulated. hiner comment andidates had a misconception that high-level language is more complex to program than low-le re, some candidates incorrectly chose option B, that the computer program is harder to debug. b) The programmer uses a compiler to translate the computer program. (i) Describe how the compiler translates the computer program.					

Examiner comment

• Some candidates gave vague statements about the translation process of a compiler and they stated that all the code is translated at once. This was vague as an interpreter translates all the code too, it just translates a line at a time then executes it.

Candidates needed to provide extra detail and accuracy that all the code is translated before it is executed. This
would provide a clear distinction between the operation of a compiler and an interpreter.

	The compiler creates a report that shows all the errors in the code. The report is displayed after the program has tried to compile.
	[2]
Examir	ner comment
	candidates stated that the report is created before the code is executed. This was inaccurate as the code not be executed if there are errors.
	ates needed to be precise and technically accurate in their responses. This is very important where ns require them to describe a technical process.
(c)	The programmer uses an integrated development environment (IDE) to create the computer program.
	One function of the IDE is that it has the built-in compiler.
	Give three other common functions of an IDE.
	1 auto-completion
	2 auto-correction
	3 prettyprint
	[3]

(ii) Describe how the compiler reports errors.

Examiner comment

- Candidates sometimes gave a description of a function instead of naming it. Responses such as highlighting syntax in different colours was an acceptable alternative to naming the function. Some candidates gave the 'built-in translator'.
- Candidates needed to give additional functions to those given in the question. A compiler is a type of translator, so this was a repeat of the question.

6	(a)	Complete the statements at	oout cookies.			
	,	Use the terms from the list.				
		Some of the terms in the list	t will not be used	d. Some terms ma	ay be used more than on	ce.
		compression	executable	hype	rtext markup language (ŀ	HTML)
		hypertext transfer protocol ((HTTP)	image	internet protocol (IP) a	ddress
		persistent	session	SOL	ınd text	
		uniform resource locater	(URL)	web browse	er web se	rver
		Cookies are small			les that are sent betwo	veen a
					memory and not in the	user's
		secondary storage.				
		When the web browser is	closed a	session	¹ cookie	is lost,
		whereas aper	sisent	cookie is no t	t lost.	

[6]

Examiner comment

Some candidates incorrectly thought that cookies are small executable files.


[3]

(b)	Give three functions of a cookie.
	1 storing user preferences on how a website is displayed
	2 saving items in a virtual shopping cart
	3 storing login details so they do not need to be entered each time

Examiner comment

Some candidates gave vague statements such as 'storing user history'. This is more a function of a web browser and too vague for a use of a cookie. Candidates needed to be more specific about what is stored in the cookie than just the user's history.

- 7 A distributed denial of service attack (DDoS) is a cyber security threat.
 - (a) Draw and annotate a diagram to represent the process of a DDoS.



Examiner comment

Candidates found this question challenging and sometimes focused on producing an elaborate drawing instead of keeping their diagrams simple and concise. Candidates needed to maintain the level of accuracy in their annotations that they would havein a written response to the question.

(b)	State	two	aims	of	carrying	out a	DDoS	attack.
-----	-------	-----	------	----	----------	-------	------	---------

1 to stop people accessing the web server and demand a ransom for
the attack to stop
2 to affect a company's reputation because people believe they are
doing bad things
[2

Examiner comment

Some candidates incorrectly thought that a DDoS damages or deletes data. It can prevent access to the data that is stored on the web server, but it will not directly damage or delete it.

(c)	Give two security solutions that can be used to help prevent a DDoS attack being successful.
	1 proxy server
	₂ firewall
	[2]

Examiner comment

Some candidates incorrectly thought that using antivirus software and setting strong passwords would prevent a DDoS from being successful.

8	A co	omputer is connected to a network and assigned an IPv4 address.								
	(a)	Tick (✓) one box to show which device would assign the IPv4 address to the computer.								
		A Domain name server (DNS)								
		B Network interface card (NIC)								
		С	Router	\checkmark						
		D	Web server							
-	:			[1]						
			comment as incorrectly thouht that a DNS assig	ne an ID address						
Some	Caric	lluale	s incorrectly thought that a DNO assig	ns an ir address.						
	(b)	Des	cribe the characteristics of an IPv	v4 address						
	(5)			ress that uses only denary numbers. It is						
		<u>.a.:</u>	32-bit address that has fol	ur groups of numbers that are separated						
		<u>by</u>	dots.							
				[4]						

Examiner comment

Some candidates just described the characteristics of a general IP address and did not tailor this to being an IPv4 address. They gave generic characteristics such as that it can be static or dynamic. Having some generic points in their answer was acceptable, but they needed to include points specific to IPv4.

9	One	component of an expert system is the inference engine.
	(a)	Identify the three other components in an expert system.
		1 user interface
		2 knowledge base
		3 rule base
		[3]
Exa	min	er comment
Some	cano	lidates gave general components of a computer system, but these were not specific to an expert system.
	(b)	Describe the role of the inference engine in an expert system.
	(D)	
		The inference engine makes decisions to solve a problem or provide
		a diagnosis. It does this by using the facts in the knowledge base and
		applying these to the rules in the rule base.

Examiner comment

Many candidates found it difficult to provide the required level of technical detail for this question. Many did not refer to how the inference engine interacts with the other components in the expert system to perform its role.

10	A user has both s	vstem software and	application software	installed on the	heir computer.

(a)	Describe the c	ılle	rence	bei	ween s	system	Sonwar	e and	applica	auon	SOILW	are.
			_									

Give an example of each software in your answer.

System software is software that a computer needs to run
effectively as it helps maintain the computer. An example of system
software is an antivirus program.

Application software allows the user to perform tasks on the
computer and provides services for the user. An example of
application software is a web browser.

Examiner comment

- Candidates found it challenging to distinguish the difference between system software and application software.
 They needed to clearly demonstrate the difference between the two.
- Some candidates gave brand names as examples of the software, but these could not be accepted.
 - **(b)** State which component in the computer would store both types of software when the power is turned off.

secondary storage [1]

Examiner comment

Some candidates incorrectly thought that both system software and application software will be stored in ROM.