

Cambridge International AS & A Level

BIOLOGY

9700/36

Paper 3 Advanced Practical Skills 2

October/November 2024

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **6** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PUBLISHED**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument

PUBLISHED

Question	Answer	Marks
1(a)(i)	<ol style="list-style-type: none"> 1 states at least three more concentrations of hydrochloric acid e.g. 1.6, 1.2 and 0.8 mol dm⁻³ ; 2 states appropriate volumes of H to make up the concentrations ; 3 states the appropriate volumes of H and W to add up to 5 ; 	3
1(a)(ii)	decides on a key in words and symbols ;	1
1(a)(iii)	<ol style="list-style-type: none"> 1 heading for independent variable: concentration of hydrochloric acid / HCl / H mol dm⁻³ ; 2 heading for dependent variable: observation / cloudiness or symbol ; 3 uses the key from (a)(ii) and states results for five concentrations at 0, 5 and 10 minutes ; 4 correct trend for results at 0 minutes ; 5 correct trend for results at 10 minutes ; 	5
1(a)(iv)	states the trend at 0 minutes – as the concentration of hydrochloric acid decreases the less cloudy the solutions ;	1
1(a)(v)	<ol style="list-style-type: none"> 1 states that the higher the acid concentration, the higher the rate of precipitation ; 2 refers to observations of cloudiness at 0, 5 and 10 minutes ; 	2
1(a)(vi)	states the type of error as systematic and there was no effect on the trend ;	1
1(a)(vii)	<ol style="list-style-type: none"> 1 identifies the error as judging the cloudiness ; 2 suggests the modification as using a colorimeter ; or 3 identifies the error as the reaction time of P was different for each of the concentrations of acid ; 4 suggests the modification as carrying out each test separately ; 	2
1(b)(i)	<ol style="list-style-type: none"> 1 <i>x-axis</i>: labelled 'protein in blood plasma and each bar labelled with the name of the protein and <i>y-axis</i>: labelled 'percentage of total protein ; 2 scale on <i>x-axis</i>: bars same width and evenly spaced and scale on <i>y-axis</i>: 10 to 2 cm, labelled at least every 2 cm ; 3 correct plotting of 5 bars ; 4 5 bars plotted with horizontal lines joined precisely ; 	4
1(b)(ii)	<ol style="list-style-type: none"> 1 shows the addition of 12.5, 16.5 and 8.5, multiplied by 70 and divided by 100 ; 2 gives answer to appropriate number of significant figures ; 	2

Question	Answer	Marks																				
2(a)(i)	1 uses most of the available space and lines continuous, thin and sharp ; 2 draws two starch grains from slide C and two starch grains from slide D ; 3 all the starch grains have surface patterns ; 4 for sample C , shows the correct position of circles on at least one starch grain ; 5 for sample D , shows the correct pattern on at least one starch grain ;	5																				
2(a)(ii)	iodine solution and blue-black colour ;	1																				
2(a)(iii)	starch broken down to glucose or to release energy ;	1																				
2(b)(i)	1 uses most of the available space and no shading ; 2 draws the correct region and no cells included ; 3 draws at least two vascular bundles ; 4 draws correct shape of outline or draws the distinct area at the tip of the leaf ; 5 label line and label to one vascular bundle ;	5																				
2(b)(ii)	only observable differences ; differences between N1 and Fig. 2.1: any three from: <table border="1" data-bbox="338 954 1693 1281"> <thead> <tr> <th data-bbox="338 954 806 1019">(feature)</th> <th data-bbox="806 954 1220 1019">N1</th> <th data-bbox="1220 954 1632 1019">Fig. 2.2</th> <th data-bbox="1632 954 1693 1019"></th> </tr> </thead> <tbody> <tr> <td data-bbox="338 1019 806 1083">number of vascular bundles</td> <td data-bbox="806 1019 1220 1083">fewer</td> <td data-bbox="1220 1019 1632 1083">more</td> <td data-bbox="1632 1019 1693 1083">;</td> </tr> <tr> <td data-bbox="338 1083 806 1147">location of vascular bundles</td> <td data-bbox="806 1083 1220 1147">central in the leaf</td> <td data-bbox="1220 1083 1632 1147">nearer to the epidermis</td> <td data-bbox="1632 1083 1693 1147">;</td> </tr> <tr> <td data-bbox="338 1147 806 1211">vascular bundles</td> <td data-bbox="806 1147 1220 1211">located in one line</td> <td data-bbox="1220 1147 1632 1211">located in two lines</td> <td data-bbox="1632 1147 1693 1211">;</td> </tr> <tr> <td data-bbox="338 1211 806 1281">presence of trichomes</td> <td data-bbox="806 1211 1220 1281">present</td> <td data-bbox="1220 1211 1632 1281">absent</td> <td data-bbox="1632 1211 1693 1281">;</td> </tr> </tbody> </table>	(feature)	N1	Fig. 2.2		number of vascular bundles	fewer	more	;	location of vascular bundles	central in the leaf	nearer to the epidermis	;	vascular bundles	located in one line	located in two lines	;	presence of trichomes	present	absent	;	4
(feature)	N1	Fig. 2.2																				
number of vascular bundles	fewer	more	;																			
location of vascular bundles	central in the leaf	nearer to the epidermis	;																			
vascular bundles	located in one line	located in two lines	;																			
presence of trichomes	present	absent	;																			
2(b)(iii)	1 states the line Q – R is 28 eyepiece graticules ; 2 shows the number of eyepiece graticules multiplied by 34 ; 3 states the correct answer with the appropriate units (μm or mm or cm) ;	3																				