

Cambridge O Level

BIOLOGY
Paper 4 Alternative to Practical
MARK SCHEME
Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond
 the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards n.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be
 awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this
 should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark schemes will use these abbreviations:

; separates marking points

/ alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

Ig ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

underline actual word underlined must be used by candidate

+ statements on both sides of the + are needed for that mark

Question	Answer					Marks	Guidance	
1(a)(i)	suitable different letters / numbers to write on each test-tube ;					1		
1(a)(ii)	prevent transfer of sugar/sugar substitute to other test-tubes ;					1		
1(b)(i)	headings: time / minutes + distance (of yeast mixture above start level) / mm;				east mixture abo	5		
	measurements at 5 minutes: 22 + 0 + 0;						A 21-23 for measurement at 5 minutes	
	temperati	ure at 5 mi	inutes: 33;					
	correct va	alues for 1	0 and 15 m	inutes ;				
	all data recorded in the table without units;							
			e (of yeas above sta		Temperature of water bath/°C			
		Sugar	Sugar substitut e	No addition				
	5	21–23	0	0	33			
	10	38	0	0	31			
	15	50	0	0	39			
1(b)(ii)	so that a comparison can be made ;					1	A to see the effect of sugar / sugar substitute	
1(b)(iii)	yeast can only respire using sugar / yeast cannot use the sugar substitute to respire;				t cannot use the	1		

Question	Answer		Guidance
1(b)(iv)	poor / not well controlled / not good enough AW + temperature fluctuations / changes / was not constant AW ;	1	
1(b)(v)	(too much) hot water added;	1	
1(c)(i)	diameter = 2.2;	4	Answer on answer line takes precedence A 2.1–2.3
	radius of mixture = 1.1;		A correct radius once anywhere in a calculation
	calculation: $(3.14 \times 1.1^2) \times 3.8$;		A πr²h written out with no numbers
	answer + rounding to 1 d.p: 14.4;		
1(c)(ii)	use (graduated) measuring cylinders (instead of test-tubes);	2	
	subtract starting volume from volume at each time interval;		

Question	Answer	Marks	Guidance
2(a)(i)	both axes fully labelled;	4	
	linear scales with values at origin of both;		
	five points correctly plotted + points marked with crosses or encircled dots;		
	single straight ruled line through all points;		
2(a)(ii)	line extrapolated on graph;	2	
	90 ± 1 ;		

Question	Answer	Marks	Guidance
2(a)(iii)	18;	2	
	mm/minute;		
2(b)	any six from:	6	
	1 at least 3 different temperatures below 70°C identified;		
	2 use of water-bath;		
	3 give time for apparatus to come to temperature before measurements taken;		
	4 adjust drop of coloured liquid to beginning of scale before recording;		
	5 (at each temperature) record the distance moved on scale with time / after fixed time record the distance moved;		
	6 same seeds / mass / number of seeds / stage of germination;		
	7 repeat and calculate mean ;		
	8 calculate rate for each temperature ;		
	9 conclusion stated ;		

Question	Answer	Marks	Guidance
3(a)(i)	whole fruit drawn + sharp pencil line + clear and continuous lines + no shading;	4	
	80 mm minimum length of stalk and seed;		
	proportions – stalk drawn with a double line to top and longer than seed;		
	detail – seed delimited and tapered + hooks drawn with double lines + hooks only on top half of seed ;		
3(a)(ii)	straight line drawn between C and D + 35-37 + mm;	3	
	candidate answer in mm ÷ magnification (36 / 3);		
	correct length + whole number only (12);		
3(b)	low mass / light / small + easily carried / picked up by wind;	2	
	hairs + increase surface area / act like a parachute / helps it to glide;		