
BIOLOGY

5090/32

Paper 3 Practical Test

May/June 2017

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

Mark schemes will use these abbreviations:

;	separates marking points
/	alternatives
()	contents of brackets are not required but should be implied
R	reject
A	accept (for answers correctly cued by the question, or guidance for examiners)
Ig	ignore (for incorrect but irrelevant responses)
AW	alternative wording (where responses vary more than usual)
AVP	alternative valid point (where a greater than usual variety of responses is expected)
ORA	or reverse argument
<u>underline</u>	actual word underlined must be used by candidate
+	statements on both sides of the + are needed for that mark

Question	Answer	Marks	Additional guidance
1(a)(i)	2 X marks drawn on grid ; labels S1 and S2 ; S1 mark higher than S2 ;	3	
1(a)(ii)	S1: less flexible / firm / turgid / hard / AW ; S2: more flexible / soft / flaccid / AW ;	2	
1(a)(iii)	strips cut to same size / dimensions / surface area / length / width / volume ; strips fully submerged / covered (by solutions) ; (left for) same time / 20 minutes ; standard blotting procedure AW ; aligned on corking same way AW ; strips cut from same potato (species) ;	2	
1(a)(iv)	reference to movement of <u>water</u> ; <u>osmosis</u> ; from solution into S1 / (water) taken up by S1 / extra water makes S1 firmer / AW ; out of S2 into solution / (water) lost by S2 / water loss makes S2 softer / AW ;	4	Ig diffusion R if osmosis and active transport in same answer

Question	Answer	Marks	Additional guidance
1(b)(i)	(plasmolysed cells) 7 (non-plasmolysed cells) 21 ;	1	
1(b)(ii)	25.0 ; ;	2	correct answer with no working shown gains both marks A one mark for correct working if answer incorrect
1(c)(i)	both axes fully labelled: 'concentration of sucrose solution / mol per dm ³ 'percentage of plasmolysed cells' ; sucrose concentration <u>on x-axis</u> , % plasmolysed cells <u>on y-axis</u> + linear scales + 0 at origin + at least half grid used ; all 5 points visibly plotted correctly ; plotted points joined with <u>ruled</u> lines + not extrapolated beyond 0.8 / 100 plot ;	4	
1(c)(ii)	working shown on graph ; value read correctly from candidate's working + mol per dm ³ ;	2	tolerance ± half small square
	Total:	20	

Question	Answer	Marks	Additional guidance
2(a)	cell P at least 80 mm long + correct proportions ; line clear, clean, and continuous, drawn with a sharp pencil + no shading / stippling / cross-hatching anywhere ; cell wall indicated with a double line ; chloroplasts shown in acceptable numbers + all drawn with complete outlines ;	4	
2(b)	measurement 48 – 51 ; measurement ÷ 200 ; correct value ; mm ;	4	
2(c)	chloroplasts ; (cell) wall ;	2	R chlorophyll lg vacuole (not visible)
	Total:	10	

Question	Answer	Marks	Additional guidance
3(a)(i)	add iodine (solution) ; yellow to black (blue-black) ;	2	
3(a)(ii)	add Benedict's solution ; heat ; blue to green / yellow / orange / red ;	3	
3(b)(i)	as fat (content) increases energy increases / ORA ;	1	R reference to 'proportional'
3(b)(ii)	62.5 ; ;	2	correct answer with no working shown gains both marks A one mark for correct working if answer incorrect
3(b)(iii)	500 ; ;	2	correct answer with no working shown gains both marks A one mark for correct working if answer incorrect
	Total:	10	